



Fitting Instructions for RAD0130BK Radiator Guard
KAWASAKI ZX10 '04 – '05



In This Kit There Should Be
1x Radiator Guard (RAD0130BK)
2x 100mm Lengths of self-adhesive Foam



Picture 1



Picture 2



Picture 3



Picture 4

TOOLS REQUIRED

- Socket set to include 8 & 10mm socket & wrench.

FITTING INSTRUCTIONS

- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- It is not necessary to remove the side fairings to fit the Radiator Guard, but it makes accessibility easier.
- Remove the two bolts that are positioned at top of the radiator to the frame, as shown in picture 1.
- Remove the bolt that secures the radiator to the bracket at the bottom of the radiator, as shown in picture 2.
- The R&G Radiator Guard can now be offered up into position.
- Re-fit the original bolts to the two top mounts and loosely tighten, as shown in picture 3.
- Re-fit the original bolt to the bottom mount, ensuring the tab on the radiator guard is positioned as shown in picture 4, before loosely tightening.
- Tighten all three bolts evenly.
- Re-fit both side fairings (if removed).

ISSUE 1 25/07/2012 (AR)



Instructions de montage pour RAD0130BK Protection radiateur
KAWASAKI ZX10 '04 – '05



Le kit doit contenir
1x Grille radiateur (RAD0130BK)
2x 100mm Longueurs de mousse autocollante



Photo 1



Photo 2



Photo 3



Photo 4

Outils requis

- Clés 8 et 10mm

Instructions de montage:

- Pour installer la grille de protection radiateur, couper la mousse autocollante en bandeaux de 10mm puis collez-les au bas du cadre de sorte à ce que les bandeaux se situent entre la grille de protection radiateur et le cadre.
- Il n'est pas nécessaire de défaire les carénages, mais cela permet une meilleure accessibilité.
- Enlever les 2 boulons places sur le dessus du radiateur, au cadre (photo 1).
- Enlever le boulon qui fixe le radiateur au support, au bas du radiateur (photo 2).
- La grille de protection R&G peut à présent être mise en position.
- Remettre les boulons d'origine aux 2 supports du haut sans trop serrer (photo 3).
- Remettre le boulon d'origine au support du bas, en vous assurant que la languette sur la protection radiateur soit positionnée comme sur la photo 4, avant de serrer légèrement.
- Serrer les 3 boulons de façon identique.
- Remettre les carénages des 2 cotés si vous les aviez enlevé.

ISSUE 1 25/07/2012 (AR)



Montageanleitung für den RAD0130BK Kühlerschutz
KAWASAKI ZX10 Modell '04 – '05



Dieser Kit beinhaltet:
1x Kühlerschutz (RAD0130BK)
2x 100mm selbstklebende Schaumstoffstreifen



Abbildung 1



Abbildung 2



Abbildung 3



Abbildung 4

SIE BENÖTIGEN FOLGENDES WERKZEUG:

- 8 & 10mm Steckschlüssel

MONTAGEANLEITUNG

- Um den Kühlerschutz am Motorrad zu montieren, schneiden Sie zuerst die mitgelieferten Schaumstoffstreifen in 10 mm breiten Streifen und kleben Sie diese auf der Rückseite des Kühlerschutzrahmens, so dass sie zwischen dem Kühlerschutz und dem Kühler angebracht sind.
- Bei der Montage des Kühlerschutzes ist es nicht zwingend notwendig, die Seitenverkleidungen zu entfernen, aber dies vereinfacht die Montage.
- Entfernen Sie die zwei Schrauben oben auf dem Kühler, die mit dem Rahmen befestigt sind – siehe Abbildung 1.
- Entfernen Sie die Schraube, die den Kühler mit dem Halter unten am Kühler befestigt – siehe Abbildung 2.
- Den R&G Kühlerschutz nun in Position bringen.
- Montieren Sie die Originalschrauben an den oberen Halterungen, drehen Sie sie aber noch nicht fest – siehe Abbildung 3.
- Montieren Sie die Originalschraube an der unteren Halterung – bitte dabei darauf achten, dass die Lasche auf dem Kühlerschutz wie in Abbildung 4 positioniert ist, bevor Sie sie fixieren.
- Ziehen Sie nun alle drei Schrauben gleichmäßig fest.
- Montieren Sie beide Seitenverkleidung wieder (falls sie entfernt wurden).

AUSGABE 1 25/07/2012 (AR)



CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com